

What is claimed is:

1. A remainder electric power distributing device of a computer
for distributing the remainder electric power supplied from a
power supply of the computer to auxiliary electronic devices,
5 comprising:

at least one power jack electrically connected to the power
supply of the computer and including at least one connecting
interface exposed on the computer, such that another auxiliary
electronic devices disposed outside the computer is electrically
10 connected to the power jack and further share the electric
power supplied from the power supply; and

a connecting means for installing the power jack to the
computer.
2. The remainder electric power distributing device of a computer
15 according to claim 1, wherein the power jack is a direct current
(DC) socket.
3. The remainder electric power distributing device of a computer
according to claim 1, wherein the power jack is installed on the
back plate of the computer by the connecting means.
- 20 4. The remainder electric power distributing device of a computer
according to claim 3, wherein the power jack is installed, by the
connecting means, at the position reserved in advance for
installing an input/output (I/O) port on the back plate.
- 25 5. The remainder electric power distributing device of a computer
according to claim 1, wherein the power jack is installed on the

front plate of the computer by the connecting means.

6. The remainder electric power distributing device of a computer according to claim 5, wherein the power jack is installed, by the connecting means, at the position reserved in advance for installing an input/output (I/O) port on the front plate.
7. The remainder electric power distributing device of a computer according to claim 1, wherein the power jack is installed on the back plate of the power supply by the connecting means.
8. The remainder electric power distributing device of a computer according to claim 1, wherein the power jack is electrically connected to the power supply of the computer by at least one electric wire.
9. The remainder electric power distributing device of a computer according to claim 1, wherein the power jack is electrically connected to the power supply of the computer by at least one connector.
10. The remainder electric power distributing device of a computer according to claim 2, wherein the power jack is electrically connected to the power supply of the computer by at least one electric wire.
11. The remainder electric power distributing device of a computer according to claim 2, wherein the power jack is electrically connected to the power supply of the computer by at least one connector.
12. The remainder electric power distributing device of a computer

according to claim 1, wherein the power jacks are parallel connecting to one another.

13. The remainder electric power distributing device of a computer according to claim 1, wherein the connecting means includes:

5 a neck disposed around the DC socket; and

 a support installed in the computer and including a plate shaped connecting portion having a breach just coupled to the neck, so as to support the power jack.

14. The remainder electric power distributing device of a computer
10 according to claim 13, wherein the support includes:

 connecting elements for fixing the plate shaped connecting portion to the computer;

 a supporting portion; and

 a cover for fixing the DC socket to the supporting portion.

15 15. The remainder electric power distributing device of a computer according to claim 14, wherein the connecting elements are bolts.